

INDEX MAPS.

T. 6 N. R. 10 E. 2nd Mer.

	7		7		7		6		6		6	
11	6	31	5	31	4	32	3	32	2	18	1	5
	31		30		25		22		21		17	
10	7	30	8	25	9	22	10	21	11	17	12	5
	30		29		25		21		17		14	
10	18	29	17	24	16	20	15	16	14	13	13	5
	28		28		24		20		16		13	
9	19	28	20	24	21	19	22	16	23	13	24	4
	27		27		23		19		15		12	
9	30	27	29	23	28	19	27	15	26	12	25	4
	26		26		23		18		15		12	
9	31	26	32	22	33	18	34	14	35	11	36	3
	1		1		1		1		1		2	
	3		3		3		2		2			

T. 7 N. R. 10 E. 2nd Mer.

	³⁹ 43		⁴⁰ 42		⁴⁰ 42		⁴⁰ 41		⁴⁰ 41		⁴⁰ 41	
45	6	65	5	60	4	56	3	52	2	50	1	39
	65		64		59		56		52		50	
44	7	64	8	59	9	55	10	52	11	50	12	39
	64		63		59		55		51		50	
44	18	63	17	58	16	55	15	51	14	49	13	38
	62		62		58		54		49		47	
44	19	62	20	57	21	54	22	49	23	47	24	38
	61		61		57		54		48		46	
43	30	61	29	57	28	53	27	48	26	46	25	38
	61		60		57		53		48		46	
43	31	60	32	56	33	53	34	47	35	46	36	37
	36		35		35		35		35		35	
	36		36		36		36		37		37	

The figures on the lines refer to the page.

Township N. 7 North, Range N. 10 East 2. Mer. Ind. 35
Ch. Wks.

South Boundary

Random line, Course S 89 1/2 W.

Met On S. boundary of Sec. 36

8.15 at Brook 5 lms. wide Course N.

20.45 at do. 25 " " " " " D 80 E.

40.00 Set temp. of Sec. post

42.64 at Brook 4 lms. wide Course S.

80.00 Set temp. Cor. to Sec. 35 & 36

Land flat, timber Beech, Oak, Ash, Hickory &c

Met On S. boundary of Sec. 35

40.00 Set temp. of Sec. post

50.00 at Brook 3 lms. wide Course N.

80.00 Set temp. Cor. to Sec. 34 & 35

Land level, timber Beech, Sugar, Oak, Poplar
Hickory, Ash &c.

Met On S. boundary of Sec. 34

13.73 at Creek 100 lms. wide Course S. W.

40.00 Set temp. of Sec. post

59.45 at Brook 10 lms. wide Course S. E.

80.00 Set temp. Cor. to Sec. 33 & 34

Land waving, timber Beech, Sugar, Poplar
Oak, Hickory &c November 18th 1806

Met On S. boundary of Sec. 33

23.00 at Brook 8 lms. wide Course S

40.00 Set temp. of Sec. post

62.55 at Brook 5 lms. wide Course S. W.

80.00 Set temp. Cor. to Sec. 32 & 33

Land flat, timber Beech, Poplar, Oak, Hickory, Maple &c

Met On S. boundary of Sec. 32

40.00 Set temp. of Sec. post

80.00 Set temp. Cor. to Sec. 31 & 32

Land timber timber &c. Same as on last mile

St. R. Co. 2. Mer. Indiana

ch. 2nd 1/2

West On S. boundary of Sec. 31

40.00 Set temp. of Sec. post

74.00 at Brook 15 km. wide Course S. E.

84.75 fell 10 chains North of post post suspecting
a mistake in the measure, chained the two
last lines over and found them correct.
November 19th 1806.

True Line var. —

East On S. boundary of Sec. 31

44.75 Set of Sec. post, from which

a Beech 12 in. dia. bray N 157° 30' E 40 km. dist. of
a Do. 14 " " " S 25° E 4 " "

84.75 Set post Co. to Sec. 31 & 32, from which
a Beech 6 in. dia. bray S 77° 13' E 13 km. dist. of
a Do. 12 " " " S 22° W 7 " "

East On S. boundary of Sec. 32

5.20 a Poplar 20 in. dia.

40.00 Set of Sec. post, from which

a Beech 8 in. dia. bray N 55° 17' E 17 km. dist. of
a Do. 20 " " " S 2° E 20 " "

80.00 Set post Co. to Sec. 32 & 33, from which
a Beech 24 in. dia. bray N 5° E 22 km. dist. of
a Do. 12 " " " S 72° E 7 " "

East On S. boundary of Sec. 33

40.00 Set of Sec. post, from which

a Sugar 9 in. dia. bray N 31° E 11 km. dist. of
a Beech 6 " " " S 24° 1/2° W 30 " "

80.00 Set post Co. to Sec. 33 & 34, from which
a Cypress 7 in. dia. bray N 38° E 30 km. dist. of
a Beech 16 " " " S 4° N 41 " "

East On S. boundary of Sec. 34

40.00 Set of Sec. post, from which

37

T^yN R10E. 2nd Mer. Indiana

40.00 Set of Sec. post, from which
a Maple 16 in. dia. - bray N 21 W 14 lks. dist. of
an Elm 9 " " " S 69 E 11 " "
80.00 Set post Cor. to Secs. 34 & 35, from which
a Sugar 10 in. dia. - bray N 15 W 14 lks. dist. of
a Beech 7 " " " S 50 E 10 " "

East On S. boundary of Sec. 35
40.00 a Poplar 9 in. diam. for of Sec. Cor. from which
a Beech 7 in. dia. - bray S 48 W 26 lks. dist. of
55.12 a Beech 24 " "
80.00 Set post Cor. to Secs. 35 & 36, from which
an Elm 13 in. dia. - bray N 44 W 23 lks. dist. of
a Beech 5 " " " S 21 E 13 " "

East On S. boundary of Sec. 36
40.00 Set of Sec. post, from which
a Beech 11 in. dia. - bray S 11 W 24 lks. dist. of
a Do. 6 " " " N 2 E 3 " "
65.00 a Beech 24 " "
80.00 to Township Corner. November 30th 1886

East Boundary, var. 5° 30' E.

North On E. boundary of Sec. 36
1.80 a Brook 20 lks. wide Course S. W.
33.70 a Maple 18 in. dia.
40.00 Set of Sec. post, from which
a Beech 11 in. dia. - bray S 79 E 11 lks. dist. of
a S. Gum 5 " " " S 55 W 34 lks. "
51.30 a Beech 22 " "
65.60 a Brook 15 lks. wide Course N. W.
77.83 a Gum 20 in. dia.
80.00 Set post, Cor. to Secs. 35 & 36, from which
a Beech 16 in. dia. - bray N 79 E 2 lks. dist. of
a Do. 9 " " " N 74 W 34 " "
First 1/2 mile flat - rest waving, Beech, Oak, ash &c.

38

Tst N E 2nd Mer. Indianach² 1/4
North On E. boundary of Sec. 252.40 at Brook 4 1/4 mi. wide Course W.
26.75 a Beech 30 in. dia.

30.60 at Brook 5 1/4 mi. wide Course S. W.

39.12 same 5 " " " S. E.

40.00 let of Sec. post, from which
a Beech 8 in. dia. bray N 35 E 18 1/2 mi. dist of
a do. 12 " " " 116 N 26 " "

49.25 a W. Oak 60 " "

68.45 a Beech 24 " "

71.15 at Brook 3 1/4 mi. wide Course S. E.

80.00 let post Cor. to Sec. 24 & 25, from which
a Sugar 11 in. dia. bray N 49 W 46 1/2 mi. dist of
an Ash 9 " " " 117 W 14 " "
Land waving, timber Beech, Oak, Poplar
Hickory &c. Nov. 27th 1806

North On E. boundary of Sec. 24

9.80 a W. Oak 15 in. dia.

40.00 let of Sec. post, from which
a S. Gum 16 in. dia. bray N 40 E 22 1/2 mi. dist
a Maple 24 " " " 121 N 33 " "

60.97 a Beech 16 " "

69.10 a W. Oak 24 " "

80.00 let post Cor. to Sec. 13 of 24, from which
a Beech 7 in. dia. bray N 35 E 16 1/2 mi. dist of
a do. 8 " " " 117 1/2 N 7 " "
Land flat, timber Beech, Oak, Gum, Maple &c.

North On E. boundary of Sec. 13

23.54 a W. Oak 46 in. dia.

34.25 a W. Oak 72 " "

40.00 let post of Sec. Cor. from which
a Maple 24 in. dia. bray N 15 W 22 1/2 mi. dist of
a Beech 8 " " " 132 E 8 " "

62.35 a S. Gum 20 " "

39

Ty N. N. E. 2^d. Mer. Indiana

ch. l. m.
80.00 Set post Cor. to Sec. 12 & 13, from which
a Beech 9 in. dia. bear N 56 E 13 lks. dist. of
a do. 6 " " " S 59 W 6 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 12

40.00 Set of. Sec. post, from which
a Beech 18 in. dia. bear N 51 E 29 lks. dist. of
a do. 16 " " " S 28 W 5 " "
46.97 a S. Gum 16 " "
80.00 Set post Cor. to Sec. 1 & 12, from which
a Beech 9 in. dia. bear N 89 W 37 lks. dist. of
a do. 13 " " " S 46 E 21 " "
Land timber &c. same as on the last mile

North On E. boundary of Sec. 1

37.45 a Beech 10 in. dia.
40.00 Set of. Sec. post, from which
an Ash 13 in. dia. bear N 70 E 38 lks. dist. of
a Beech 16 " " " S 68 W 42 " "
45.30 a Brook 8 lks. wide Course N. W.
48.47 a Beech 30 in. dia.
60.78 a Beech 22 " "
80.00 Set post Cor. to Township N. 7 & 8 North
Range 10 & 11 East, from which
a Beech 10 in. dia. bear N 85 E 3 1/2 lks. dist. of
a do. 7 " " " S 52 W 11 " "
Land timber &c. same as on last mile

North Boundary.

Random line. Dec. 4th 1806

East On S. boundary of Sec. 31, T. 8 N. R. 10 E

40.00 Set temp. of. Sec. post

43.70 a Brook 5 lks. wide Course S. E.

61.20 a Creek 25 " " " S. W.

72.90 a Brook 8 " " " N. W.

40

S. N. R. 10 E. 2^d Mer. Indiana

ch. 2 lks.

80.00 Set temp. Cor. to Sec. 31 & 32

Land waving, Beech, Oak, Sugar, Ash &c.

East On S. boundary of Sec. 32, T8 N. R10 E

27.15 a Brook 4 lks. wide Course N.W.

40.00 Set temp. q. Sec. post

58.10 a Brook 8 lks. wide Course S.W.

80.00 Set temp. Cor. to Sec. 32 & 33

Land flat, Beech, Oak, Maple, Hickory &c.

East On S. boundary of Sec. 33, T8 N. R10 E.

40.00 Set temp. q. Sec. post

53.60 a Brook 5 lks. wide Course S.

66.55 a Do. 5 " " " S.

80.00 Set temp. Cor. to Sec. 33 & 34

Land waving, timber Beech, Sugar, Oak &c.
water Course 8 lks. wide Course S.W.

East On S. boundary of Sec. 34, T8 N. R10 E

4.44 a Creek 40 lks. wide Course S.W.

31.40 a Do. 6 " " " N.

40.00 Set temp. q. Sec. post

51.60 a Brook 5 lks. wide Course N.W.

77.25 a Do. 10 " " " N.

80.00 Set temp. Cor. to Sec. 34 & 35

Land hilly, Beech, Oak, Sugar, Hickory &c.

East On S. boundary of Sec. 35, T8 N. R10 E.

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 35 & 36

Land timber &c. same as on last mile

East On S. boundary of Sec. 36, T8 N. R10 E

40.00 Set temp. q. Sec. post

68.30 a Brook 10 lks. wide run N.W.

86.80 Fall 12.21 lks. S. of post. First 1/2 mile hilly

41

T^yN - R10 E. 2.^d Mer. Indiana
ch. lks
rest level, timber Beech, Oak, Hickory &c.
December 5th 1806

True Line.

West On S. boundary of Sec. 36, T⁸N. R10 E

0.73 a S. Gum 15 in. dia.

6.50 a W. Oak 40 " "

40.00 Set q^r. Sec. post, from which
at Beech 36 in. dia. bear N 85 W 20 lks. dist. of
a Do. 11 " " " N 65 E 32 " "

53.40 at Brook 8 lks. wide Cr. S.W.

57.73 a Poplar 20 in. dia.

70.60 at Brook 8 lks. wide Cr. S.W.

72.50 Same 8 " " " N.W.

77.90 a Beech 24 in. dia.

80.00 Set post Cor. to Sec. 35 & 36, T⁸N. R10 E, from which
at Beech 16 in. dia. bear North 16 lks. dist. of
a Do. 20 " " " N 67 E 38 " "

West On S. boundary of Sec. 35, T⁸N. R10 E

6.10 at Brook 6 lks. wide Cr. S.W.

13.50 a Creek 50 " " " S.W.

19.50 Same 50 " " " N.W.

31.60 a Sugar 11 in. dia.

33.00 at Brook 10 lks. wide Come N.

40.00 Set q^r. Sec. post, from which
a Sugar 14 in. dia. bear N 80 E 9 lks. dist. of
at Beech 7 " " " S 22 W 5 " "

51.82 a Beech 28 " "

63.70 at Brook 60 lks. wide Come S.W.

76.50 a Sugar 20 in. dia.

80.00 Set Post Cor. to Sec. 34 & 35, T⁸N. R10 E, from which
a Sugar 18 in. dia. bear N 54 W 43 lks. dist. of
at Beech 15 " " " S 38 E 26 " "

West On S. boundary of Sec. 34, T⁸N. R10 E.

T. N. R 10 E. 2nd Mer. Indiana

ch. lks

12.60 a Creek 60 lks. wide Course N. W.

36.55 a D. Oak 22 mi. dist.

40.00 Let q. Sec. post, from which (in brook 15 lks. N.)
a Buckeye 11 mi. dist. bray S 70 E 15 lks. dist. of
a do. 9 " " " N 53 1/2 W 49 " "

42.86 a Sugar 18 " "

62.50 a Creek 60 lks. wide Course S 15 W

80.00 Let post cor. to Sec. 33, 34, T. 8 N. R 10 E, from which
a Beech 18 mi. dist. bray S 72 W 19 lks. dist. of
a do. 7 " " " N 47 E 5 " "

West On S. boundary of Sec. 33, T. 8 N. R 10 E.

2.50 a Brook 10 lks. wide Course S. W.

19.00 a do. 6 " " " S. W.

27.00 a Beech 28 mi. dist.

34.50 a Brook 6 lks. wide Course S. W.

40.00 Let q. Sec. post, from which
a Beech 11 mi. dist. bray N 37 E 38 lks. dist. of
a Poplar 36 " " " S 33 W 30 " "

47.04 Blk — 40 " "

80.00 Let post Cor. to Sec. 32 & 33, T. 8 N. R 10 E, from which
a Hickory 13 mi. dist. bray N 51 W 3 lks. dist. of
a Beech 12 " " " N 17 1/2 E 24 " "

January 9th. 1807

West On S. boundary of Sec. 32, T. 8 N. R 10 E

15.65 a W. Oak 36 mi. dist.

29.10 a Brook 6 lks. wide Course S. W.

40.00 Let q. Sec. post, from which
a Beech 26 mi. dist. bray N 14 E 36 lks. dist. of
a do 6 " " " N 7 E 7 " "

66.50 a Brook 5 lks. wide Course N. W.

68.66 a Beech 16 mi. dist.

78.25 Fork of a Brook 8 lks. wide, of one from S. E, the
one from N. W. line runs down it.

80.00 Let post Cor. to Sec. 31, 32, T. 8 N. R 10 E, from which

43

Ty N. R 10 E. 2nd Mer. Indiana
 ch. lks
 a Beech 18 in. dia. trng N 65 E 33 lks. dist. of
 a Sugar 14 " " " N 61 W 17 " "

West On S. boundary of Sec. 31, Ty N. R 10 E.
 7.90 line leaves brook E. S. N. W.
 15.50 a Brook 5 lks. wide runng N. 100 lks. fallen timber
 21.00 a do. 12 " " " S. W.
 25.18 a Creek 40 " " " S. W.
 40.00 At gr. Sec. post, from which
 a Beech 7 in. dia. trng S 71 W 30 lks. dist. of
 a do. 7 " " " N 64 E 22 " "
 44.80 a Brook 6 lks. wide Course S.
 61.28 a Beech 18 in. dia.
 87.00 to Township Corner.

West Boundary
 November 29th. 1806. var. 5° 30' E.
 North On E. boundary of Sec. 36, Ty N. R 9 E.
 1.73 a Poplar 60 in. dia.
 40.00 At gr. Sec. post, from which
 a Beech 17 in. dia. trng N 73 E 24 lks. dist. of
 a Maple 20 " " " S 40 W 18 " "
 61.85 a Beech 16 " "
 74.55 a Brook 6 lks. wide Course N. W.
 80.00 At post cor. to Sec. 25 of 36, Ty N. R 9 E, from which
 a Beech 9 in. dia. trng N 11 E 9 lks. dist. of
 a Sugar 10 " " " S 21 E 7 " "
 Land level timber Beech, Sugar, Oak, Poplar &c.

North On E. boundary of Sec. 25, Ty N. R 9 E.
 13.85 a Brook 6 lks. wide Course N. W.
 32.03 a Beech 13 in. dia.
 35.75 a Brook 6 lks. wide Course W.
 40.00 At gr. Sec. post, from which
 a Beech 6 in. dia. trng N 46 E 1 lks. dist. of
 a do. 13 " " " S 77 W 22 " "

44

T^y N. R^g E. 2^d. Mer. Indianach^d. l^y63.25 a Brook 10 l^y. wide Course N. W.70.75 a Creek 70 l^y. wide runn S. W. head N. W. line crossing a bend80.00 1st post Cor. to Sec. 24 & 25, T^y N. R^g E. from which
a Hickory 11 m. dist. bray S 15 E 17 l^y. dist. &

a Beech 18 " " " N 40 E 15 " "

First 1/2 mile level - last 1/2 hilly, timber Beech
Oak, Poplar, Hickory &c.North On E. boundary of Sec. 24, T^y N. R^g E.

18.77 a Poplar 14 m. dist.

23.50 a Creek 70 l^y. wide Course W.40.00 1st q^r. Sec. post, from whicha Beech 7 m. dist. bray N 31 1/2 W 17 l^y. dist. &

a Do. 9 " " " S 62 E 27 " "

80.00 1st post Cor. to Sec. 13 & 24, T^y N. R^g E. from whicha Maple 10 m. dist. bray S 30 W 6 l^y. dist. &

a Beech 7 " " " S 54 E 4 " "

First 1/2 mile hilly - rest level, Beech, Oak
Oak, Sugar, Hickory &c.North On E. boundary of Sec. 13, T^y N. R^g E.

4.31 a Beech 24 m. dist.

22.05 a P. Gum 24 " "

40.00 1st q^r. Sec. post, from whicha Beech 11 m. dist. bray S 60 W 17 l^y. dist. &

a Do. 13 " " " S 44 W 17 " "

76.00 a Brook 5 l^y. wide Course W.

78.94 a Poplar 18 m. dist.

80.00 1st post Cor. to Sec. 12 & 13, T^y N. R^g E. from whicha Beech 12 m. dist. bray S 34 E 13 l^y. dist. &

a Do. 8 " " " S 34 W 10 " "

Land flat, timber Beech, Poplar, Gum, Oak
Hickory &c.North On E. boundary of Sec. 12, T^y N. R^g E.

16.48 a Beech 24 m. dist.

Ty N. R 10 E. 2^d. Mer. Indiana 45

ch. l. th.

- 40.00 Let of: Sec. post, from which
a Poplar 12 in. dia. bear N 10 E 20 th. dist. of
a Beech 7 " " " S 34 E 24 " "
55.00 a Poplar 24 " "
80.00 Let post Cor. to Sec. 1, 12, Ty N. R 9 E, from which
a Beech 15 in. dia. bear N 30 W 5 th. dist. of
a Do. 6 " " " S 18 E 18 " "
Land waving, timber, Beech, Poplar, Oak
Lum &c.

North On E. boundary of Sec. 1, Ty N. R 9 E.

- 16.50 a Brook 15 th. wide Course W.
21.09 a Beech 24 in. dia.
28.70 a Brook 15 th. wide Course W.
40.00 Let of: Sec. post, from which
a Beech 9 in. dia. bear N 52 E 9 th. dist. of
a Beech 5 " " " S 79 W 13 " "
42.14 a Beech 30 " "
43.47 a Do 30 " "
59.45 a Brook 4 th. wide Course S. E.
62.75 a Poplar 42 in. dia.
80.00 Let post Cor. to Township N. 7 of 8 North
Range N. 9 of 10 East, from which
a Poplar 48 in. dia. bear N 33 E 3 th. dist. of
a Beech 30 " " " S 37 W 15 " "
Land waving, timber Beech, Poplar Oak &c.

December 1st 1806

Surveyed by John Brownson,
Deputy Surveyor

Subdivision

North Between Sect. 35 & 36, Ty N. R 10 E.

- 7.90 a Beech 15 in. dia.
40.00 Let of: Sec. post, from which
a Blue Ash 25 in. dia. bear North 16 th. dist. of
a Beech 12 " " " S 34 W 25 " "

T. St. R. 10 E. 2. Mer. Indiana

ch. l. h.

55.00 a Creek 100 l. h. wide Course W.

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
 a Beech 30 m. dist. bear S 62 E 22 l. h. dist. of
 a Sugar 24 " " " S 54 W 25 "
 Over high rich land, Beech, Poplar, Sugar
 & S. Gum, underg. Spruce etc.

East On Rand. between Secs. 25 & 36

9.50 a Brook 11 l. h. wide Course S.

40.00 Set temp. q. Sec. post

60.00 a Stream 140 l. h. wide Course S. W.

80.84 Intersected the E. boundary 50 l. h. N. of post
 Over high poor land, timber Beech etc. underg.
 Beech & Green birch.

West Corrected between Secs. 25 & 36

40.42 Set q. Sec. post at average dist. from which
 a Beech 20 m. dist. bear N 15 W 8 l. h. dist. of
 a Do. 30 " " " N 10 E 32 " "

43.88 a Beech 15 " "

80.84 Section Corner

North Between Secs. 25 & 26

1.28 a Poplar 40 m. dist.

40.00 Set q. Sec. post, from which
 a Beech 12 m. dist. bear N 73 W 24 l. h. dist. of
 an Elm 12 " " " S 45 E 24 " "

80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
 a Hickory 20 m. dist. bear N 51 E 8 l. h. dist. of
 a Beech 20 " " " S 42 W 48 " "
 Over high rich land, Beech, Sugar etc.

East On Rand. between Secs. 24 & 25

40.00 Set temp. q. Sec. post

80.86 Intersected the E. boundary 20 l. h. S. of post
 Over flat Beech land

47

S. N. - R 10 E. 2nd Mer. Indiana

ch. l. l. l.

West Corrected between Sec. 24 & 25

40.43 Set q. Sec. post at average dist. from which
a Sugar 12 mi. dist. bearing N 88° 11' 15" W, dist. of
at Beech 20 " " " N 60° E 12 " "

42.50 at Beech 30 " "

80.86 to Sec. Corner.

North Between Sec. 23 & 24

2.00 a Sugar 20 mi. dist.

40.00 Set q. Sec. post, from which

a Beech 12 mi. dist. bearing N 80° E 13" W, dist. of

a do. 10 " " " N 60° 11' 12 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which

a Beech 14 mi. dist. bearing N 40° E 21" W, dist. of

a do. 16 " " " N 70° 11' 7 " "

This mile through a Swamp, Beech, B. &
S. Gum &c.

East On Rand. m. between Sec. 13 & 24

40.00 Set temp. q. Sec. post

80.70 Intersected the N & S. line 10 W. N. of post
Through a Beech & Gum Swamp

West Corrected between Sec. 13 & 24

40.35 Set q. Sec. post at average dist. from which
at Beech 24 mi. dist. bearing N 65° 11' 44" W, dist. of
a Sugar 15 " " " N 65° E 10 " "

42.85 at Beech 34 " "

80.70 to Sec. Corner. January 9th 1807

North Between Sec. 34 & 35

5.00 a Sugar 25 mi. dist.

19.50 a Creek 75 l. wide Course N.

40.00 Set q. Sec. post, from which

a Sugar 35 mi. dist. bearing N 87° 11' 16" W, dist. of

at Beech 15 " " " N 50° E 25 " "

St. R. C. W. E. 2nd Mer. Indiana

Ch. P. 114

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
a Beech 20 mi. diam. bray N 97° 25' E 11 mi. dist. of
a Do. 30 " " " N 66° E 11 " "
High rich land, timber Beech &c.

East On Land^m between Secs. 26 & 35

40.00 Set temp. of Sec. post

80.35 intersected the N & S line 47 1/2 mi. N. of post
High rich land, Beech, Ash, Gum, Poplar &c.

West Corrected between Secs. 26 & 35

30.30 a Beech 17 mi. diam.

40.17 Set of Sec. post at average dist. from which
a Beech 20 mi. diam. bray S 46° 24' E 24 mi. dist. of
a Sugar 20 " " " N 19° E 15 " "

80.35 to Sec. Corner.

North Between Secs. 26 & 27

6.35 a Beech 20 mi. diam.

40.00 Set of Sec. post, from which
a Maple 20 mi. diam. bray N 87° 10' E 10 mi. dist. of
a Beech 11 " " " S 87° E 24 " "

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
a Poplar 60 mi. diam. bray S 63° E 49 mi. dist. of
a Sugar 16 " " " N 54° E 17 " "
Land flat, timber Beech &c.

East On Land^m between Secs. 23 & 26

40.00 Set temp. of Sec. post

80.00 intersected the N & S line 20 mi. N. of post
Over Beech & Maple Swamp

West Corrected between Secs. 23 & 26

39.80 a Beech 15 mi. diam.

40.00 Set of Sec. post, from which
a Sugar 15 mi. diam. bray N 72° 1/2° E 19 mi. dist. of

S. N. R. W. E. 2nd Mer. Indiana ⁴⁹
ch. 1st 1/2
a Beech 30 in. dia. - bray S 42 N 24 lks. dist. of
80.00 to Sec. Corner

North Between Sec. 22 & 23

4.36 a Beech 12 in. dia.

30.00 a Poplar 50 " "

40.00 Set of Sec. post, from which

a Poplar 60 in. dia. - bray N 37 E 54 lks. dist. of

a Beech 12 " " " S 66 W 17 " "

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which

a Beech 40 in. dia. - bray N 27 1/2 E 37 lks. dist. of

a do. 25 " " " S 32 W 32 " "

Flat Beech land

East On Land 8^m. between Sec. 14 & 23

40.00 Set temp. of Sec. post

80.00 Intersected the N. & S. line at the post
Through a Maple & Beech Swamp

West Corrected between Sec. 14 & 23

40.00 Set of Sec. post at average dist. from which

a Beech 30 in. dia. - bray N 61 W 20 lks. dist. of

a do. 16 " " " S 43 E 5 " "

79.95 a Sugar 15 " "

80.00 to Sec. Corner.

North Between Sec. 13 & 14

4.00 a W. Oak 84 in. dia.

40.00 Set of Sec. post, from which

a Beech 10 in. dia. - bray N 57 1/2 E. 26 lks. dist. of

a do. 9 " " " S 48 W 16 " "

71.00 a Beech 25 " "

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which

a Beech 12 in. dia. - bray N 51 E 32 lks. dist. of

a Maple 20 " " " S 41 W 18 " "

Through a Beech & Maple Swamp Aug 10th 1807

T. N. R. N. E. 2^d. Mer. Indianach. 1st 1/2East On Rand^m. between Sec. 12 & 1340.00 Set temp^y. q^r. Sec. post80.83 Intersected the E. boundary 20th S. of post
Over level land, timber Beech, Poplar, P. &
S. Gum &c. Soil thin.

West Corrected between Sec. 12 & 13

40.41¹/₂ Set q^r. Sec. post at average dist. from which
a Beech 12 mi. dist. by N 43° E 14th dist. of
a do. 11 " " " N 28° E 10 " "

41.63 a S. Gum 40 " "

80.83 to Sec. Corner

North Between Sec. 11 & 12

5.50 a Beech 20 mi. dist.

40.00 Set q^r. Sec. post, from whicha Beech 9 mi. dist. by N 37° W 5th dist. of
a do. 20 " " " N 61° E 24 " "80.00 Set post cor. to Sec. 1, 2, 11 & 12, from which
a Beech 14 mi. dist. by N 84° E 26th dist. of
a Sugar 17 " " " N 76° W 42 " "
Over level land, Beech, P. & S. GumEast On Rand^m. between 1 & 1240.00 Set temp^y. q^r. Sec. post80.60 Intersected E. boundary 25th S. of post
Over Beech & Maple Swamp

West Corrected between Sec. 1 & 12

40.30 Set q^r. Sec. post at average dist. from which
a Beech 14 mi. dist. by N 22° E 8th dist. of
a do. 16 " " " N 22° W 25 " "

40.74 a Poplar 20 " "

80.60 to Sec. Corner.

North Between Sec. 1 & 2

7th R10 E. 2nd Mer. Indiana

51

ch. lks

- 8.00 a Sugar 25 mi. dist.
 31.25 at Brook 20 lks. wide Course W.
 40.00 Set q^r. Sec. post, from which
 a Beech 17 mi. dist. bray N 47° W 46 lks. dist. of
 a Loc. 40 " " " S 47° E 11 " "
 78.74 Intersected N. boundary 125 lks. W. of post
 Set post Cor. to Sec. 11 of 2, from which
 a Beech 17 mi. dist. bray N 62° W 28 lks. dist. of
 a Loc. 18 " " " S 29° E 25 " "
 Over high rich land, good for farming, timber
 Beech, W. & S. Oak, undug Spruce

North Between Sec. 14 & 15

- 1.50 at Beech 30 mi. dist.
 40.00 Set q^r. Sec. post, from which
 a Poplar 40 mi. dist. bray N 49° W 36 lks. dist. of
 a Beech 17 " " " S 30° E 7 " "
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 a W. Oak 40 mi. dist. bray N 43° W 32 lks. dist. of
 a Poplar 17 " " " South 2 " "
 Over level land with thin Beech & Sugar
 Note — From 55.00 to 65.00 up a Brook 20
 lks. wide & crossed it repeatedly

East On Rand^m. Between Sec. 11 & 14

- 11.00 a Brook 17 lks. wide Course S. W.
 40.00 Set temp. q^r. Sec. post
 42.00 a Brook 18 lks. wide Course S. W.
 80.00 Intersected the N & S. line at the post
 Level Land Beech & Maple

West Corrected between Sec. 11 & 14

- 2.00 a Maple 18 mi. dist.
 40.00 Set q^r. Sec. post, at average dist. from which
 a W. Oak 16 mi. dist. bray S 35° W 7 lks. dist. of
 a Hickory 20 " " " N 11° E 32 " "

52 T. N. R. 10 E. 2^d. Mer. Indiana
ch^d. 1/4
80.00 to Sec. Corner. Jan. 11th. 1807

North Between Sec. 10 & 11

4.50 at Beech 20 mi. dist.

40.00 at gr. Sec. post, from which
at Beech 17 mi. dist. bearing N 42° W 7/8 th. dist. of
a Maple 25 " " " S 52° E 15 " "

80.00 at post Cor. to Sec. 2, 3, 10 & 11, from which
a Sugar 20 mi. dist. bearing S 76° E 25 th. dist. of
at Beech 16 " " " N 89° W 19 " "

Over level 2^d rate land, timber Beech,
Poplar, Sugar &c.

East On Rand. m. between Sec. 2 & 11

40.00 at temp. gr. Sec. post

79.88 intersected the N & S line at the post
Over level Beech land

West Corrected between Sec. 2 & 11

39.94 at gr. Sec. post at average dist. from which
a Beech 25 mi. dist. bearing N 6° E 25 th. dist. of
a Do. 27 " " " S 25° E 5 " "

40.19 an Elm 17 " "

79.88 to Sec. Corner

North Between Sec. 2 & 3

11.50 an Elm 20 mi. dist.

40.00 at gr. Sec. post, from which
at Beech 17 mi. dist. bearing N 50° W 15 th. dist. of
a Hickory 20 " " " S 22° E 13 " "

59.00 a Brook 25 th. wide Course N. W.

73.00 a Creek 50 " " " S. W. Rapid

77.20 intersected N. boundary 16 1/2 th. W. of post
at post Cor. to Sec. 2 & 3, from which
an Elm 30 mi. dist. bearing South 9 th. dist. of
at Beech — " " " N 33° E 42 " "

53

Sy N RWE, 2^d Mer. Indiana
ch^d, lth
Over high rich land, Beech, Poplar, Sugar
B & M. Oak &c. underg^d. Spice &c.

North Between Sec^s. 33 & 34

7.00 a Poplar 60 m. dist.
7.30 a Maple 20 " "
40.00 Set g^r. Sec. post, from which
a Beech 18 m. dist. bran N 55 W 3 lth. dist of
a do. 9 " " " S 25 E 17 " "
80.00 Set post Cor. to Sec^s. 27, 28, 33 & 34, from which
a Beech 25 m. dist. bran N 9 E 39 lth. dist of
a Maple 12 " " " South 19 " "
Over Beech & Maple Swamp

East On Can^dm. between Sec^s. 27 & 34

40.00 Set temp^d. g^r. Sec. post
79.23 intersected the N of S line 60 lth. N. of post
Through a Beech Swamp

West Corried between Sec^s. 27 & 34

39.61¹/₂ Set g^r. Sec. post at average dist. from which
a Sugar 20 m. dist. bran N 30 E 17 lth. dist of
a do. 15 " " " N 10 W 3 1/2 " "
40.10 a Beech 30 " "
79.23 to Sec. Corner.

North Between Sec^s. 27 & 28

19.15 a Brook 15 lth. wide Course W.
22.50 a Beech 25 m. dist.
40.00 Set g^r. Sec. post, from which
a Sugar 12 m. dist. bran N 65 E 42 lth. dist of
aycamore 10 " " " N 85 W 19 " "
77.50 a Beech 25 " "
80.00 Set post Cor. to Sec^s. 21, 22, 27 & 28, from which
a Beech 15 m. dist. bran N 28 W 14 lth. dist of
a Maple 14 " " " S 78 E 14 " "

Sgt R. W. E. D. Mer. Indiana
 ch^lly Over high rich land, Beech, Sugar &c.
 Jan. 12th 1887

East On Rand^m between Sec. 22 & 27
 40.00 At temp^y. of Sec. post
 41.88 at Brook 17th ly, wide Course S.
 80.00 Intersected the N & S. line 14th ly. N. of post
 Over high poor land, timber Beech &c.

West Corrected between Sec. 22 & 27
 0.56 an Ash 18th m. dist.
 40.00 At of Sec. post, from which
 a Beech 14th m. dist. by East 22th ly. dist. of
 a Sugar 14 " " " N 80 W 15 " "
 80.00 to Sec. Corner.

North Between Sec. 21 & 22
 8.00 at Beech 25th m. dist.
 40.00 At of Sec. post, from which
 a Beech 15th m. dist. by N 75 W 13th ly. dist. of
 a Do. 12 " " " " 40 E 6 "
 80.00 At post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 25th m. dist. by South 22th ly. dist. of
 a Do. 18 " " " N 5 E 35 " "
 Over level Beech land

East On Rand^m between Sec. 15 & 22
 40.00 At temp^y. of Sec. post
 65.00 at Brook 17th ly, wide Course S.
 79.73 Intersected the N & S. line 25th ly. S. of post
 Over level Beech land

West Corrected between Sec. 15 & 22
 39.86 At of Sec. post, from which
 a Beech 25th m. dist. by S 5 E 21th ly. dist. of
 a Maple 75 " " " N 5 E 32 " "

55

Sy N R 10 E, 2^d Mer. Indiana
ch^l 1st 1/2
43.36 a Maple 40 m. dist.
79.73 to Sec. Corner

North Between Secs. 15 & 16
12.00 a Beech 25 m. dist.
40.00 Let q^r. Sec. post, from which
a Beech 17 1/2 m. dist. by North 16 1/2th dist. of
a Do. 18 " " " N 23 1/2th 9 " "
80.00 Let post, Cor. to Secs. 9, 10, 15 & 16 from which
a Beech 28 m. dist. by S 80 1/2th 33 1/2th dist. of
a Do. 35 " " " N 47 1/2th 11 " "
Over high land, soil poor, timber Beech, W.
Oak &c.

East On Land^m. between Secs. 10 & 15
40.00 Let temp^y. q^r. Sec. post
79.40 Intersected N of S. line at the post
Through a Beech Swamp

West Corrected between Secs. 10 & 15
39.70 Let q^r. Sec. post at average dist. from which
a W. Oak 20 m. dist. by S 74 1/2th 12 1/2th dist. of
a Beech 18 " " " N 74 1/2th 16 " "
41.60 a Beech 12 " "
79.40 to Sec. Corner.

North Between Secs. 9 & 10
4.50 a Maple 20 m. dist.
40.00 Let q^r. Sec. ^{post} from which
a Beech 12 m. dist. by N 35 1/2th 5 1/2th dist. of
a Do. 17 " " " N 46 1/2th 18 " "
80.00 Let post, Cor. to Secs. 3, 4, 9 & 10, from which
a Beech 18 m. dist. by East 5 1/2th dist. of
a Do. 16 " " " West 11 " "
Over high rich land, Beech, ash, B & W.
Oak &c.

T.M. R10 E. 2nd Mer. Indianach. 1st 1/2East On Rand^m. between Sect. 3 & 10

40.00 At gr. Sec. post temporarily

79.71 Intersected the N & S. line 30 lks. S. of post
Over high rich land Beech, Poplar &c.

West Corrected between Sect. 3 & 10

39.85¹/₂ At gr. Sec. post at average dist. from which
at Beech 12 mi. dist. bearing S 59° 11' 21 lks. dist. of
a Sugar 20 " " " N 47° E 17 " "

45.20 at Beech 20 " "

79.71 to Sec. Corner

North Between Sect. 3 & 4

9.00 at Beech 25 lks. diam.

14.00 at Brook - lks. wide Course W.

40.00 At gr. Sec. post, from which

a Sugar 12 mi. dist. bearing N 20° E 8 lks. dist. of

a Do. 12 " " " S 86° W 5 " "

70.00 a Creek 130 lks. wide Cr. S. W.

80.50 Intersected the N. Boundary 270 lks. N. of post

At post Cor. to Sect. 3 & 4, from which

an Elm 40 mi. dist. bearing N 45° E 40 lks. dist. of

a Do. 35 " " " S 25° W 17 " "

Land timber &c. same as on last mile

North Between Sect. 32 & 33

2.50 a Poplar 20 mi. dist.

40.00 At gr. Sec. post, from which

a Beech 20 mi. dist. bearing S 63° W 8 lks. dist. of

a Do. 12 " " " S 23° E 13 " "

80.00 At post Cor. to Sect. 28, 29, 32 & 33, from which

a Beech 10 mi. dist. bearing N 13° W 27 lks. dist. of

a Do. 9 " " " S 41° E 12 " "

Over high land, timber Beech, Poplar
&c. Soil rich

S. N. R. N. E. 2. Mer. Indiana ⁵⁷

ch. P. 4th

East On Land 8^m. between Sec. 28 & 33

40.00 At temp. q. Sec. post

80.00 Intersected the N & S line 50th S. of post

Land timber &c. same as on last mile

West Corrected between Sec. 28 & 33

40.00 At q. Sec. post at average dist. from which

a Beech 16 in. dia. - bearing S 29 E 7th dist. of

a Do. 6 " " " N 37 1/2 W 9 " "

44.00 a Sugar 15 " "

80.00 to Sec. Corner

North Between Sec. 28 & 29

9.50 a Beech 30 in. dia.

25.00 a Brook 12th wide course N.

40.00 At q. Sec. post, from which

a Beech 18 in. dia. - bearing N 52 W 20th dist. of

a Do. 25 " " " N 45 E 36 " "

80.00 At post Cor. to Sec. 20, 21, 28 & 29, from which

a Beech 20 in. dia. - bearing N 15 E 20th dist. of

a Do. 25 " " " N 43 W 23 " "

Land timber &c. same as last mile

East On Land 8^m. between Sec. 21 & 28

40.00 At temp. q. Sec. post

79.80 Intersected the N & S line 40th N. of post
(description of Land &c. omitted)

West Corrected between Sec. 21 & 28

39.90 At q. Sec. post at average dist. from which

a Beech 30 in. dia. - bearing S 69 E 33th dist. of

a Do. 10 " " " N 44 1/2 W 17 " "

40.00 a Beech 12 " "

79.80 to Sec. Corner

North Between Sec. 20 & 21

T. N. T. N. E. 2^d. Mer. Indiana

- ch. 1/2
 5.50 a Beech 12 mi. dist.
 40.00 Set q. Sec. post, from which
 a Poplar 20 mi. dist. by South 21 1/2 mi. dist. of
 a Beech 20 " " " N 85° W 20 " "
 70.00 a Brook 8 1/2 mi. wide Course West
 80.00 Set post cor. to Sec. 16, 17, 20 & 21 from which
 a Beech 20 mi. dist. by N 15° E 10 1/2 mi. dist. of
 a do. 12 " " " S 22° E 14 " "
 Over high thin land, Beech, Poplar W. Oak &c.
-

- Cont On Rand. between Sec. 16 & 21
 40.00 Set temp. q. Sec. post
 80.10 Intersected the N & S line 30 1/2 mi. S. of post
 Level land thin soil, timber Beech, Poplar
 White Oak &c.
-

- West Corrected between Sec. 16 & 21
 40.05 Set q. Sec. post, from which
 a Beech 12 mi. dist. by South 4 1/2 mi. dist. of
 a Sugar 20 " " " S 87° W 4 " "
 40.63 a Beech 25 " " " " " " " " " " " "
 80.10 to Sec. Corner Jan. 14th 1807
-

- North Between Sec. 16 & 17
 7.00 a Beech 28 mi. dist.
 23.50 a Brook 10 1/2 mi. wide Course West
 25.00 a Beech 30 mi. dist.
 40.00 Set q. Sec. post, from which
 a Beech 12 mi. dist. by N 84° W 25 1/2 mi. dist. of
 a Poplar 70 " " " S 41° E 5 " "
 Over very hilly land Beech, Poplar &c. the
 Surface covered with Flint Stone
 80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
 a Sugar 18 mi. dist. by N 27° E 4 1/2 mi. dist. of
 a do. 16 " " " S 23° W 31 " "
 Over high land good for farming, timber

59

T. M. R. 10 E. 2^d Mer. Indiana
ch. 1/4 Beech, Sugar, Oak, Poplar &c.

East On Rand^m. between Sec. 9 & 16
40.00 Left temp^y. gr. Sec. post
80.30 Intersected the N & S. line 50 1/4, S. of post
Over high 2^d rate land, Beech, Gum &c.

West Corrected between Sec. 9 & 16
40.15 Left gr. Sec. post at average dist. from which
a Beech 12 mi. dist. bear S 81 1/2 E 12 1/4, dist. of
a Sugar 18 " " " West 4 " "
43.89 a Sugar 18 " "
80.30 to Sec. Corner

North Between Sec. 8 & 9
2.50 a Sugar 14 mi. dist.
24.00 Crossed an Old E & W. line
39.00 at Brook 10 1/4, wide Course N. W.
40.00 Left gr. Sec. post, from which
a Beech 20 mi. dist. bear N. W 34 1/4, dist. of
a Do. 20 " " " S. E 24 " "
80.00 Left post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 17 mi. dist. bear N 60 W 36 1/4, dist. of
a Do. 15 " " " S 70 E 5 " "
Over high 2^d rate land, Ash, Beech, Gum, N. W. ash

East On Rand^m. between Sec. 4 & 9
40.00 Left temp^y. gr. Sec. post
80.00 Intersected the N & S. line at the post
Over high rich land, timber Beech, N. W. ash

West Corrected between Sec. 4 & 9
0.12 a Beech 14 mi. dist.
40.00 Left gr. Sec. post at average dist. from which
a Beech 15 mi. dist. bear S 4 W 12 1/4, dist. of
a Do. 40 " " " N 10 W 20 " "

60

Sy N - RWE. 2nd Mer. Indiana
 ch. lks
 80.00 to Sec. Corner.

North Between Sect. 4 & 5

9.50 a Creek 200 lks. wide Q^l. S 85 W, crossed over an old.

11.50 a Sycamore 80 in. dia.

40.00 Set q^r. Sec. post, from which
 a Beech 10 in. dia. bear S 85 E 10 lks. dist. of
 a Do. 9 " " " N 85 W 16 " "

79.75 Intersected the N. boundary 306 lks. West of
 post, Set post Co. to Sect. 4 & 5, from which
 a Beech 20 in. dia. bear N 33 E 15 lks. dist. of
 a Do. " " " " S 33 W 18 " "
 Over highland soil rich, Beech, Red Gum

North Between Sect. 31 & 32

4.35 a Beech 30 in. dia.

40.00 Set q^r. Sec. post, from which
 a Beech 11 in. dia. bear N 54 E 3 lks. dist. of
 a Maple 20 " " " " N 45 W 16 " "

80.00 Set post Co. to Sect. 29, 30, 31 & 32, from which
 a Beech 12 in. dia. bear S 71 W 20 lks. dist. of
 a Do. 17 " " " " N 71 E 9 " "
 Level Beech land. January 15th, 1807

East On Rand^m. between Sect. 29 & 32

40.00 Set temp^y. q^r. Sec. post

79.50 Intersected the N & S. line 40 lks. N. of post
 Over level Beech land soil poor

West Corrected between Sect. 29 & 32

39.25 Set q^r. Sec. post at average dist. from which
 a Beech 18 in. dia. bear N 50 E 28 lks. dist. of
 a Poplar 30 " " " " S 35 W 1 " "

42.12 a Beech 20 " "

79.50 to Section Corner.

61

Sy N. R 10 E. T. Mer. Indiana

ch. lks

West Between Sec. 30 & 31

0.68 at Beech 19 mi. dist.

40.00 Set gr. Sec. post, from which
a Beech 18 mi. dist. bearing N 75 W 23 lks. dist. of
a Co. — " " " 80 E 15 " "

84.00 Intersected N. boundary 259 lks. N. of post
a Sugar 20 ^{in dist. of} Co. to Sec. 30 & 31, Over level
Land, timber Beech, Sugar &c.

North Between Sec. 29 & 30

20.50 at Brook 20 lks. wide E. of N.

20.50 a Poplar 25 mi. dist.

40.00 Set gr. Sec. post, from which
a Cherry 23 mi. dist. bearing N 77 W 16 lks. dist. of
a Beech 30 " " " N 82 E 9 " "

80.00 Set post Co. to Sec. 19, 20, 29 & 30, from which
a Sugar 18 mi. dist. bearing N 75 W 23 lks. dist. of
a W. Oak 15 " " " 85 E 25 " "
Over high rich land, good for wheat, timber
Beech, Poplar, Sugar &c.

East On Land ³m between Sec. 20 & 29

40.00 Set temp. gr. Sec. post

80.50 Intersected the N. of S. line 30 lks. S. of post
Level Beech land

West Corrected between Sec. 20 & 29

40.25 Set gr. Sec. post at average dist. from which
a Beech 19 mi. dist. bearing S 56 E 10 lks. dist. of
a Poplar 20 " " " N 59 W 24 " "

44.20 at Beech 20 " "

80.50 to Sec. Corner.

West Between Sec. 19 & 30

10.10 at Beech 20 mi. dist.

33.50 at Brook 20 lks. wide Course N. W.

T. N. R. 10 E. 2^d Mer. Indiana

ch. 2^d 1/4

40.00 Set q^r. Sec. post, from which
a Sugar 17 mi. dist. by, S 8¹/₂ W 4¹/₂ l^y. dist. of
at Beech 40 " " " N 8 E 24 " "

84.20 Intersected N. boundary 25 l^y. S. of post
Set post Cor. to Sec. 19 & 20, from which
at Beech 30 mi. dist. by, S 28¹/₂ E 12 l^y. dist. of
a do. 19 " " " N 46 W 37 " "
Over high rich land, timber Beech, Ash,
Poplar &c. undergth. Spruce

North Between Sec. 19 & 20

10.10 at Beech 17 mi. dist.

40.00 Set q^r. Sec. post, from which
at Beech 20 mi. dist. by, S 37 E 23 l^y. dist. of
a do. 20 " " " N 44 W 26 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
at Beech 40 mi. dist. by, S 55 W 37 l^y. dist. of
a do. 20 " " " N 46 E 17 " "
Over high 2nd rate land, Beech, Poplar &c.

East On Rand^m. between Sec. 17 & 20

40.00 Set temp^y. q^r. Sec. post

80.40 Intersected the N & S line 40 l^y. S. of post
Over very hill rich land, timber Beech, Ash
Poplar &c. undergth. Spruce &c.

West Corrected between Sec. 17 & 20

40.20 Set q^r. Sec. post at average dist. from which
at Beech 12 mi. dist. by, S 17 E 6 l^y. dist. of
a do. 18 " " " N 8 E 18 " "

41.96 at Beech 19 " "

80.40 to Sec. Corner

West Between Sec. 18 & 19

13.00 at Beech 30 mi. dist.

29.00 a Creek 150 l^y. wide Course S. W.

63

S. N. N 10 E. 2nd. Mer. Indiana

ch. 1st 40.00 Let q. Sec. post, from which
 a W. Oak 25 m. dia. bray N 44 E 11 Ch. dist. of
 any Ash 30 " " " S 11 E 35 " "

83.80 Intersected W. boundary 17 Ch. S. of post
 Let post Cor. to Sec. 18 & 19, from which
 a Maple 8 m. dia. bray N 25 W 11 Ch. dist. of
 a Beech 10 " " " S 61 E 17 " "

Over high rich land, Beech & Poplar
 January 16th 1807

North Between Sec. 17 & 18

15.00 at Brook 10 Ch. wide Course W.

16.50 a Sugar 20 m. dia.

35.00 a Creek 160 Ch. wide Course S. W.

40.00 Let q. Sec. post, from which
 a Beech 12 m. dia. bray N 64 E 12 Ch. dist. of
 a Do. 16 " " " S 74 W 15 " "

64.00 Same Creek 100 Ch. wide Course S. E.

75.00 Same Creek 450 " " " S. W.

80.00 Let post Cor. to Sec. 7, 8, 17 & 18, from which
 a Sycamore 100 m. dia. bray East 27 Ch. dist. of
 a Do. 84 " " " S 65 W 4 " "

Over high rich land, timber Beech, B. N. Oak

East On Rand. between Sec. 8 & 17

40.00 Let temp. q. Sec. post

80.31 Intersected the N & S line 40 Ch. S. of post
 Over high 2nd rate land Beech, Poplar,
 B. S. Gum &c.

West Corrected between Sec. 8 & 17

40.15² Let q. Sec. post at average dist. from which
 a Beech 30 m. dia. bray N 35 W 71 Ch. dist. of
 a Poplar 16 " " " S 55 E 34 " "

46.40 a Beech 17 " "

80.31 to Sec. Corner.

64 S. N. R. W. E. 2nd Mer. Indiana

ch. l. l. h.

West Between Sec. 7 & 18

0.50 a Brook 100 l. h. wide Course S. E

40.00 Set q. Sec. post, from which
a Beech 20 m. dist. bearing N 18 E 26 l. h. dist. of
a Do. 11 " " " S 27 N 70 " "

144.00 a Poplar 30 " "

83.32 intersected N. boundary 71 l. h. S. of post
Set post Cor. to Sec. 7 & 18, from which
a Beech 30 m. dist. bearing N 73 E 33 l. h. dist. of
a Do. 20 " " " S 72 N 13 " "
Over level Beech land, Soil 2nd rate

North Between Sec. 7 & 8

6.50 a Beech 30 m. dist.

12.00 a Creek 120 l. h. wide Course S. W.

40.00 Set q. Sec. post, from which
a Beech 20 m. dist. bearing N 15 E 14 l. h. dist. of
a Do. 10 " " " S 15 N 18 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 40 m. dist. bearing N 39 W 34 l. h. dist. of
a Do. 40 " " " S 21 E 24 " "
Over level rich land, timber Beech, Blk. &
White Oak.

East Land between Sec. 5 & 8

40.00 Set temp. q. Sec. post in Creek 150 l. h. S. W.

80.42 intersected the N of S. line 20 l. h. S. of post
Over high rich land, timber Beech,
Poplar, B & W. Oak.

West Cor. between Sec. 5 & 8

40.21 Set q. Sec. post, at average dist. from which
a B. Walnut 30 m. dist. bearing S 88 E 37 l. h. dist. of
a W. Oak 19 " " " N 31 W 98 " "

41.78 a Sugar 12 " "

80.42 to Section Corner.

Sy N. N. W. E. 2^d Mer. Indiana 65

ch. 2th
West Between Secs. 6 & 7

11.50 a Poplar 20 mi. dist.

40.00 Set of Sec. post, from which
a Sugar 12 mi. dist. by N 22 W 48th dist. of
a Beech 20 " " " S 9 E 15 " "

83.87 Intersected N. boundary 78th S. of post
Set post Cor. to Sec. 6 & 7, from which
a Sugar 12 mi. dist. by N 7 W 10th dist. of
a Beech 25 " " " S 6 E 60 " "
Over hilly 2^d rate land, Beech, Poplar &c.

North Between Secs. 5 & 6

40.00 Set of Sec. post, from which
an Ash 12 mi. dist. by N 70 E 11th dist. of
a Sugar 21 " " " S 11 W 11 " "

52.00 an Elm 20 " "

80.67 Intersected N. boundary 334th N. of post
Set post Cor. to Sec. 5 & 6, from which
a Beech 17 mi. dist. by N 66 E 24th dist. of
a Do. 40 " " " S 11 W 37 " "
Over high 2^d rate land, Beech, Poplar & W.
Oak.

January 17th 1887
Surveyed By
John Brownson
Deputy Surveyor

Comp.

I Certify that the foregoing transcript of field notes
of Township N^o 7 North, of Range N^o 10 East 2^d Mer.
Indiana has been compared, with original notes
in this Office, and found to be correct.

Surveyor General's Office
Cincinnati, Oct. 22. 1842

William Johnston
Sur. Genl.